




A new combination in Malesian *Leptochloa* Beauv.

Nowack R.



How to cite:

Nowack R. 1995. A new combination in Malesian *Leptochloa* Beauv. *Rheedeia* 5(1): 93.

<https://dx.doi.org/10.22244/rheedeia.1995.05.01.09>

Published in print: 30.06.1995

Published Online: 01.01.2022

A new combination in Malesian *Leptochloa* Beauv.**R. Nowack**

Rijksherbarium, Leiden; The Netherlands

While revising the Malesian *Leptochloa* Beauv. (Rheedia 4 (2): 79–92. 1994), I have discussed the systematic position of *L. mucronata* Kunth and have reduced it into a subspecies of *L. panicea* (Retz.) Ohwi, which would require a new combination. The new combination along with the synonymy are provided below.

***Leptochloa panicea* (Retz.) Ohwi, ssp. *mucronata* (Michx.) Nowack, Comb. nov.**

Eleusine mucronata Michx., Fl. Bor. Amer. 1: 65. 1803,

Rabdochloa mucronata Beauv., Agrost. 84, 158, 176. 1812.

Leptochloa mucronata Kunth, Rev. Gram. 1: 91. 1829.

Type: *Michaux* s.n. (P holo, microfiche)

Eleusine filiformis Pers., Syn. 1: 87. 1805.

Eleusine sparsa Muhlenb., Cat. Pl. 12. 1813, nom. superfl.

Poa virgata Roth, Nov. Pl. Sp. Ind. Or. 66. 1821, non Poir. (1804), nom. superfl.

Leptochloa filiformis E. & S., Syst. Veg. 2: 580. 1817, non Beauv. (1812).

Leptostachys filiformis G. Mey., Prim. Fl. Esseq. 74. 1818, comb. incorr.

Type: Hb. Persoon (L holo, no. 908. 91–199; iso in Hb. Roth, fide R. & S. and Roth)

Festuca filiformis Lamk., Tabl. Encycl. 1: 191. 1791, non Pourr. (1783).

Type: *Richard* in Hb. Lamarck (P holo, K photo).

A new combination in Malesian *Leptochloa* Beauv.**R. Nowack**

Rijksherbarium, Leiden; The Netherlands

While revising the Malesian *Leptochloa* Beauv. (Rheedea 4 (2): 79–92. 1994), I have discussed the systematic position of *L. mucronata* Kunth and have reduced it into a subspecies of *L. panicea* (Retz.) Ohwi, which would require a new combination. The new combination along with the synonymy are provided below.

***Leptochloa panicea* (Retz.) Ohwi, ssp. *mucronata* (Michx.) Nowack, Comb. nov.**

Eleusine mucronata Michx., Fl. Bor. Amer. 1: 65. 1803,

Rabdochloa mucronata Beauv., Agrost. 84, 158, 176. 1812.

Leptochloa mucronata Kunth, Rev. Gram. 1: 91. 1829.

Type: *Michaux* s.n. (P holo, microfiche)

Eleusine filiformis Pers., Syn. 1: 87. 1805.

Eleusine sparsa Muhlenb., Cat. Pl. 12. 1813, nom. superfl.

Poa virgata Roth, Nov. Pl. Sp. Ind. Or. 66. 1821, non Poir. (1804), nom. superfl.

Leptochloa filiformis E. & S., Syst. Veg. 2: 580. 1817, non Beauv. (1812).

Leptostachys filiformis G. Mey., Prim. Fl. Esseq. 74. 1818, comb. incorr.

Type: Hb. Persoon (L holo, no. 908. 91–199; iso in Hb. Roth, fide R. & S. and Roth)

Festuca filiformis Lamk., Tabl. Encycl. 1: 191. 1791, non Pourr. (1783).

Type: *Richard* in Hb. Lamarck (P holo, K photo).